



INNOVATIVE CLEANING SOLUTIONS TOWARDS A HYGIENIC, HEALTHIER WORLD

www.charnock.biz

UNDERSTANDING YOU.

CONVENIENCE
DURABILITY
CONSISTENCY

Cleanliness is important, no matter where we are. Whether its a factory, office, hotel room, hospital or even a corridor in a mall, one of the most important things is how clean and hygienic it is. It tells both employees and visitors a little bit about the organization, and according to research, is essential in forming an impression.

THE RELIABLE RANGE

An important part of the Charnock range includes Numatic, the **UKs No. 1 in cleaning service products**. Combined, this professionally superior range is extensive and includes what we call **Floor Care** (Scrubbers Driers, Scrubbers & Polishers), **Clean Care** (Vacuum Cleaners, Escalator Cleaner, Upholstery Cleaners, Mechanical Sweeper, High Pressure Cleaners, Foam Generators), **Servo Care** (Service Trolleys, Mop Wringer Trolleys, Glass Care, Mops, Caddies, Caution Signs) and **Sweep Care** (Mechanized Battery & Engine Operated Sweepers), **Carpet Care** (Carpet Cleaning Machines), **Washroom Care** (Rest Room, Cleaning and Sanitizing Machines & Foaming Chemicals), **Bio-Care** (Bio cleaning solutions).

Compared to others, the Charnock / Numatic / RCM / Lavor / Santoemma range is vastly different in design and concept, whilst incorporating a wealth of technology, research and innovation. The range works for any application commercial, corporate or industrial.

COMPLETE SOLUTIONS

We don't believe in offering just products. We look upon these as being cleaning systems. A solution to your problems and an answer to your needs. A solution that will give you the best results at the best possible value. We can offer organizations complete cleaning solutions, from housekeeping to upholstery care. Often, the problem with cleaning solutions in any organization is untrained manpower. Our products are easy to use and ensure that the simplest, most effective techniques are employed by the people who use them. Further, we'll ensure that you get the right tools for the job. This is the key to cost efficiency.



TECHNOLOGY FOR FASTER CLEANING, BETTER WORK SPACES

The technologies that we use in our products, whether its a mop, vacuum cleaner or a floor polisher, are patented and are leading edge in the industry. Our products are designed to endure inhospitable conditions and long usage. They're handled easily, and consistently deliver the best results. Built for outstanding performance and reliability, each product is engineered to the highest standards of operational efficiency. Each product has been developed with a practical approach, and is a benchmark in maintenance made easy.



Vivek Mata
Managing Director
Charnock Equipments Pvt. Ltd.

MESSAGE FROM THE MANAGING DIRECTOR

Greetings from Charnock !!!

We uphold the belief of "Trust and Beyond" that truly sums up our core values at Charnock and have constantly lived up to it in the past 25 Plus successful years in the Cleaning Industry in India. The journey began back in the summer of 1999 with a small office in Bangalore and a vision to be a one-stop shop for cleaning and housekeeping equipment. We launched Charnock with a concentrated focus on serving the Cleaning and Hygiene needs in the Indian market. Since then, we have expanded our footprint on a PAN India level and successfully to countries abroad as well. Charnock strongly believes in providing the best quality of products at aggressive prices with prompt, efficient and effective after sales service support.

Today we have a comprehensive portfolio of Machines, Trolleys, Tools and Chemicals all under one roof.

With years of industry experience and deep understanding of real-world cleaning challenges, our focus has always been on providing reliable, innovative and user-friendly solutions. We combine innovation, quality engineering and practical design to ensure our solutions meet the evolving needs of today's facilities. From commercial spaces to industrial facilities, our machines, trolleys and tools are designed to meet the highest standards of quality and durability. Every product we offer is carefully selected to deliver superior performance while simplifying operations, reducing effort, time, and operational costs for our customers and deliver consistent results across diverse environments.

Our company's success story is not just about numbers and achievements; it's about the relationships we've built, the challenges we've overcome, and the innovations we've embraced. Together, we have created a legacy of trust and integrity. As we grow our commitment remains the same; dependable products, responsive service and solutions you can trust. We appreciate your confidence in us and look forward to serving you for years to come.

Together, let us continue to inspire, lead, and shape the future of the cleaning industry!!!

CONTENTS

FLOOR CARE 3 - 13

Compact Scrubber & Drier, Twintec Cable Scrubber Drier Twintec Battery Scrubber Drier, Ride-on Scrubber Drier, Scrubbers & Polishers, High Speed Burnishing Machine, Foam Generator.



CLEAN CARE 14 - 23

Industrial Wet & Dry Vacuum Cleaners, Upholstery Cleaners, Backpack Vacuum Cleaner, Dry Vacuum Cleaner, Carpet Drier, High-Pressure Cleaners, Escalator Cleaner, Provac Series, Steam Cleaners.



WASHROOM CARE 24 - 25

Idro Foam Rinse 200
Foamtec 15
Foamtec 30
Eveline
Powertec 30



CARPET CARE 26

Charis - One
Elite - Silent



SWEEP CARE 27 - 32

Mechanical Sweeper, Alfa,
CRS 7012, CRS 9012,
CRS 1814, CRS 1545



SERVO CARE 33 - 45

NKT, NKU, Pro-Service Trolleys, Mop Wringers, Swing Top/Carousel, Micro Fiber Mop Series Dry/Wet, Servo Clean Trolley, Polyester Grey Mop Series, Micro Fiber Cloths, Hand Care for Floors, Glass Care, Caution Signs, Easy Caddies, Telescopic Poles, Mop Holders.



HAND SCRUBBER



Easy to Use
Operator Handle



Anti Slip Wheels



Brush and Pad
Holder Options

Technical Specification

Model No.	Voltage	Frequency	Gear System	Brush Width	Brush Speed	Cable Length	Machine Weight
CHS 600	220/240V	50/60 Hz	Reducer	220 mm	155 - 310 RPM	7.5 Mtrs	5.2 Kgs

Lightweight yet robust, the Charnock Hand held Scrubber is a portable machine meant for quick cleaning. With easy and simple controls, these mini scrubbers are highly maneuverable and come handy to clean difficult to access and hard to reach areas. Ideal for cleaning staircases, columns, bathroom tiles and walls, vanity counters, under the tables and other tight spaces. This is an ideal choice for regular maintenance of multiple floor surfaces.

CHS 600



BATTERY OPERATED COMPACT SCRUBBER DRIER



Control Panel



Auto Cut off & Dump Hose
for Dirty Water Tank



Large Wheels for Easy
Movement



Compact Dual Brushes

C 4450 Battery Operated Compact Scrubber Drier is a new unique user friendly machine which is easy to use and operate with a magical 360 degrees maneuverability. The vacuum motor is sensor driven and helps protect the motor. This machine is designed for easy storage when not in use. It is light weight yet provides very effective cleaning performance.

Machine can be easily operated by holding the handle and move it based on the area available. It is a machine which can be carried to various levels/floors since it is light weight yet effective.

C 4450



Technical Specification

Model No.	Voltage	Vacuum Motor	Brush Motor Power	Cleaning Width	Brush Speed	Run Time	Clean Water Capacity	Dirty Water Capacity	Machine Weight	Dimensions (L x W x H)
C 4450	24 V DC	120 W	160 W x 2	52 mm	350 RPM	2 Hours	4 Ltrs	4 Ltrs	24 Kgs	518 x 377 x 1208 mm

HOURLY PERFORMANCE

 **1200 M²/H**

CABLE OPERATED SCRUBBER DRIER



Adjustable Handle



Easy Tank Filling Access

The **C 2545** mains cable floorcare machine has been engineered to substantially reduce size whilst, at the same time, maximise the performance and handling.

The **C 2545** allows hard floor maintenance in areas previously cleaned by mopping systems but 30% faster and to an improved standard. With its low noise level and unobtrusive appearance this machine will find itself fully at home in many, if not all, commercial environments be it hospitals, clinics, restaurants, cafeterias, offices, bank and hotel lobbies etc.,

Wherever there's a need for a simple, user friendly, one-pass cleaning machine the C 2545 will be sure to match, or exceed, your expectations.



Anti-Slip Wheels



Easy Brush Access

C 2545



Technical Specification

Model No.	Cleaning Width	Squeeze Width	Brush Speed	Brush Motor Power	Vacuum Motor Power	Clean Water Capacity	Dirty Water Capacity	Cable Length	Weight	Dimension (L x W x H)
C 2545	450 mm	530 mm	160 RPM	750 W	700 W	25 Ltrs	25 Ltrs	18 Mtrs	60 Kgs	870 x 610 x 910 mm

HOURLY PERFORMANCE



CABLE OPERATED SCRUBBER DRIER



Simple to Use Operator Handle



Stainless Steel Chassis



Easy Tank-Filling Access

Charnock **C 3450** provides you with cleaning and flexibility of a Large Scrubber Drier which is very user friendly and efficient. It comes with stainless steel chassis and a Power head folding system. It is value for money and economical to use.

The machine is ideally suited for indoor cleaning from light to medium tasks such as Educational Institutions, small super market and other retail outlets.



Brush in Down Mode

C 3450



Technical Specification

Model No.	Voltage	Brush Motor Power	Vacuum Motor Power	Clean Water Capacity	Dirty Water Capacity	Cable Length	Working Width	Brush Speed	Weight	Dimensions (L x W x H)
C 3450	230 V AC 50 HZ	1100 W	1000 W	35 Ltrs	35 Ltrs	18 Mtrs	455 mm	150 RPM	69 Kgs	1060 x 650 x 1025 mm

HOURLY PERFORMANCE



WALK BEHIND SCRUBBER DRIER



Simple to Use Operator Handle



Control Panel - Cable



Control Panel - Battery



Easy Tank Filling Access



Wet Pick-Up Squeeze

The **C 5050 /CB 5050** cable and battery version machines are a genuine workhorse providing a truly cost effective answer to big area floor maintenance.

The user will find **C 5050** scrubber drier an easy to operate machine and it handles like a dream. The machine has a smart traction system and comes with 500 mm scrubbing width with 50 + 55 Ltrs water tanks. The motor and power transmission design is very unique and time tested. The machine is very silent as compared to machines available in the market.

If its big areas, big power and big performance that is needed - the C 5050 will NOT disappoint you.

C 5050



CB 5050

Technical Specification

Model No.	Brush Motor Power	Squeeze Width	Clean Water Capacity	Dirty Water Capacity	Brush Width	Brush Speed	Brush/Pad Holder Max Pressure	Batteries	Working Noise Level	Vacuum Motor Power	Batteries Weight	Weight	Dimensions (L x W x H)
C 5050	220V / 750W	760 mm	50 Ltrs	55 Ltrs	500 mm	150 RPM	30 Kgs	-	65+3 dB(A)	220V / 600W	-	75 Kgs	1400 x 610 x 1210 mm
CB 5050	24V / 550W	760 mm	50 Ltrs	55 Ltrs	500 mm	150 RPM	30 Kgs	100 x 2 (2 x DC 12 V 100 Ah)	65+3 dB(A)	24V / 500W	35 x 2 Kgs	75 Kgs	1400 x 610 x 1210 mm

HOURLY PERFORMANCE



2040 M²/H

WALK BEHIND SCRUBBER DRIER



Easy Tank Filing Access



Easy Brush Access



Wet Pick Up Squeeze



PU Anti Slip Wheels

The CB 5050 Plus battery operated machines are a genuine workhorse providing a truly cost effective answer to big area floor maintenance. The user will find CB 5050 Plus Scrubber Drier an easy to operate machine and it handles like a dream. The machine has a smart traction system and comes with 500 mm scrubbing width with 50 + 55 Ltrs water tanks. The motor and power transmission design is very unique and time tested. The machine is very silent as compared to machines available in the market. If its big areas, big power and big performance that is needed - The CB 5050 Plus will NOT disappoint you.

CB 5050 Plus



Technical Specification

Model No.	Brush Motor Power	Squeeze Width	Brush Width	Fresh Water Capacity	Dirty Water Capacity	Brush Speed	Brush/pad Holder Max Pressure	Batteries	Working Noise Level	Vac Motor Power	Batteries Weight	Weight	Dimensions (L x W x H)
CB 5050 PLUS	24 V 550 W	815 mm	500 mm	50 Ltrs	55 Ltrs	200 RPM	30 Kgs	24 V 100Ah	65+3 Db (A)	24 V/380 W	35 x 2 Kgs	75 Kgs	1400 x 610 x 1210 mm

HOURLY PERFORMANCE



TWINTeC SCRUBBER DRIER

The Twintec Series mains cable /battery operated versions have been designed with truly meaningful and innovative features and are engineered to maximize performance and handling. The superstructure of the machines comprises of heavy duty polyform tanks designed to provide durability and a truly robust structure, complimented by polyurethane semi – parabolic floor nozzle. The motor and power transmission design of these machines are one of the best and truly time tested over the years. With its low noise level and unobtrusive appearance; these machines will find itself fully at home in a variety of commercial and industrial environments.



Simple to Use Operator Handle



Rugged Stainless Steel Chassis

Features:

- Folding/ Adjustable Handle
- Easy Tank Filling Access
- Brush In Transit Mode
- Rugged Stainless Steel Chassis
- Ease To Operate



Over Fill Control Trash Filter



TT/TTB 1840 G



TT 4045 G

Technical Specification

Model No.	Voltage	Brush Motor Power	Vac Motor Power	Brush Width	Cleaning Range	Brush Speed	Clean Water Capacity	Dirty Water Capacity	Weight	Dimensions (L x W x H)
TT 1840 G	220-240V 50Hz	400 W	300 W	400 mm	42 m	150 RPM	18 Ltrs	18 Ltrs	38.5 Kgs	520 x 850 x 1132 mm
TTB 1840 G	24V DC 50Hz	400 W	300 W	400 mm	42 m	150 RPM	18 Ltrs	18 Ltrs	52 Kgs	430 x 850 x 1132 mm
TT 4045 G	220-240V-50Hz	1500 W	1200 W	450 mm	42 m	150 RPM	40 Ltrs	40 Ltrs	42 Kgs	1100 x 1065 x 805 mm

HOURLY PERFORMANCE



MINI RIDE ON SCRUBBER DRIER



PU Anti Slip Wheels



Brush Access



Storage Box



Seat with Pressure Detection System

CRO 7056 is a mini ride on scrubber drier, specially designed to replace walk behind scrubber driers. The machine is very compact and can be used in the most congested areas and narrow passages with super silent working - it makes the machine smart and efficient. 3X more productivity than walk-behind scrubbers. Saves on Man power. Machine is equipped with storage compartment for cleaning tools.

CRO 7056



Technical Specification

HOURLY PERFORMANCE



Model No.	Cleaned Track Width	Squeeze Width	Number of Brushes	Brush Width	Max Brush Pressure	Brush Speed	Brush Motor Power	Drive Motor Rated Power	Maximum Speed	Vacuum Motor Power	Clean Water Capacity	Dirty Water Capacity
CRO 7056	560 mm	705 mm	1	560 mm	23 Kgs	140 RPM	500 W	300 W	5.5 Km/h	310 W	70 Ltrs	70 Ltrs
Wheel Diameter	Net Weight Without Batteries	Number of Batteries	Series Battery Capacity	Single Battery Capacity	Single Battery Weight	Power Supply Voltage	Battery Compartment Size	Machine Size	Dimensions (L x W x H)			
Front: 175 Rear: 230 mm	110 Kgs	2	24 V	12V-100 Ah	31 Kgs	24 V	318 x 360 x 300 mm	1310 x 634 x 980 mm	1425 x 810 x 1155 mm			

RIDE ON SCRUBBER DRIER



Easy Brush Access with
ABS Brush Cover



Wet Pick-Up Squeeze



Simple Maintenance



Powerful Traction System

CRO 9070 has great manoeuvrability, thanks to a balanced weight distribution. It is equipped with variable brush pressure which can reach up to 63kg. With its robust structure, it can deep clean efficiently. It comes with detergent control and auto stop feature. Detergent flow stops and starts upon traction pedal being activated. Low noise feature makes the machine suitable for daytime cleaning even in noise-sensitive applications. Noise level is as low as 60dBA. Equipped with 2 stage high suction and SUPER SILENT vacuum motor.

CRO 9070



Technical Specification

HOURLY PERFORMANCE



Model No.	Squeeze Width	Number of Brushes	Brush Width	Max Brush Pressure	Brush Speed	Brush Motor Power	Drive Motor Power
CRO 9070	1000 mm	2	700 mm	63 Kgs	180 RPM	300 x 2 W	500 W
Maximum Speed	Vacuum Motor	Clean Water Capacity	Dirty Water Capacity	Power Supply Voltage	Weight of Machine Without Battery	Dimensions (L x W x H)	
7.5 Km/h	500 W	90 Ltrs	100 Ltrs	24 V	180 Kgs	1370 x 740 x 1210 mm	

RIDE ON SCRUBBER DRIER



Easy Brush Access with
ABS Brush Cover



Wet Pick-Up Squeeze



Simple Maintenance



Powerful Traction System

CRO 1185 has great manoeuvrability, thanks to a balanced weight distribution. It is equipped with variable brush pressure which can reach up to 63 Kg. With its robust structure, it can deep clean efficiently. It comes with detergent control and auto stop feature. Detergent flow stops and starts upon traction pedal being activated. Low noise feature makes the machine suitable for daytime cleaning even in noise-sensitive applications. Noise level is as low as 60 dBA. Equipped with 2 stage high suction and SUPER SILENT vacuum motor.

CRO 1185



Technical Specification

HOURLY PERFORMANCE 5900 M²/H

Model No.	Cleaned Track Width	Squeeze Width	Number of Brushes	Brush Width	Max Brush Pressure	Brush Speed	Brush Motor Power	Drive Motor Rated Power	Maximum Speed	Vacuum Motor Power	Clean Water Capacity	Dirty Water Capacity
CRO 1185	850 mm	1120 mm	2	435 mm	63 Kgs	140 RPM	500 W	600 W	6 Km/h	375 W	110 Ltrs	110 Ltrs
Wheel Diameter	Net Weight Without Batteries	Number of Batteries	Series Battery Capacity	Single Battery Capacity	Single Battery Weight	Power Supply Voltage	Battery Compartment Size	Machine Size	Dimensions (L x W x H)			
Front: 250 Rear: 300 mm	233 Kgs	4	24 V	6V-225 Ah	33 Kgs	24 V	520 x 380 x 390 mm	1540 x 897 x 1287 mm	1560 x 980 x 1460 mm			

RIDE ON SCRUBBER DRIER



Seat with Pressure Detector



Warning Alarm



Wet Pick-up Squeeze



Anti-Slip Wheels

When large spaces demand uncompromising cleanliness, the **CRO 2810** big-size scrubber drier delivers. Designed for maximum performance and efficiency, this powerful machine is built to tackle extensive floor areas in warehouses, malls, airports, factories, and commercial complexes with ease.

With a wide cleaning path, high-capacity fresh and dirty water tanks, and advanced scrubbing technology, it ensures deep cleaning in a single pass—saving time, labor, and resources. Its robust design handles the toughest grime, while intuitive controls and ergonomic features make it easy and safe to operate.

Whether it's heavy foot traffic, industrial buildup, or daily maintenance, the big-size scrubber drier brings productivity, power, and precision to your cleaning operations.

Clean Bigger. Clean Better. Clean Smarter

CRO 2810



Technical Specification

HOURLY PERFORMANCE



Model No.	Brush Size	Squeeze Width	Clean Water Tank	Dirty Water Tank	Brush Motor Power	Vacuum Motor	Drive Motor	Brush Speed	Battery Rating	Dimensions (L x W x H)
CRO 2810	1020 mm	1200 mm	250 Ltrs	280 Ltrs	2 x 550 W	2 x 550 W	1200 W	300 RPM	6 x 6V 340 Ah	1915 x 1170 x 1110 mm


SCRUBBERS & POLISHERS



Simple To Use Operator Handle



Large Solution Tank



Transit Wheel

When it comes to large areas of floor maintenance or restoration there is no substitute for both size and weight.

Charnock, C 1530 is a dual and high speed machine with 150 and 300 RPM respectively. The dual speed of the machine is best suited especially for renewing and crystal surface treatment, carpet and floor cleaning; and low speed polishing of all kinds of floor for large scale public spaces.

Equipped with a robust motor, the machine delivers consistent torque and performance even under tough working conditions. It ensures smooth operation.

The adjustable handle, balanced weight distribution, and vibration-free operation ensure comfort and full control for the operator. Its user-friendly design reduces fatigue during extended cleaning tasks.

Ideal for cleaning in hotels, hospitals, industrial shop floors, workshops, residential and retail floor care services and Many more.

C 1530

**150/300
rpm**



Technical Specification

Model No.	Voltage	Power	Current	Frequency	Brush Speed	Brush Width	Cable Length	Weight
C 1530	220 V	1300 W	5.9 A	50 Hz	150/300 RPM	450 mm	12 Mtrs	42 Kgs

SCRUBBERS & POLISHERS

Designed specially for aggressive deep cleaning with ultrahigh speed, the Charnock single-disc scrubber **C 14** offers multipurpose usage for all types of hard floors and cleaning jobs, for scrubbing, buffing and carpet cleaning.

Maintenance-free single phase - a synchronous motor gives long life and reduces costs. Ideal for floor stripping and spray cleaning in hotels, hospitals, industrial shop floors, workshops, etc.

Unique in handle adjustment, suitable for any user. All functions are controlled from the operator handle with an in-built safety grip for easy maneuverability. The low offset motor gives the optimal performance.



Simple To Use Operator Handle



Large Solution Tank



120 mm Wheel



C 14

Technical Specification

Model No.	Voltage	Motor	Main Cord	Sound Level	Brush Speed	Weight	Dimensions (L x W x H)
C 14	220-240 V AC 50 Hz	1100 W	12 M	55 (Db)	154 RPM	43 Kgs	555 x 470 x 330 mm

SCRUBBERS & POLISHERS - HEAVY DUTY

The all new heavy duty and high performance Single disc machine **C 2575** comes equipped with a powerful 2.5 HP motor and a sealed oil filled gear box. It is designed to work as a deep scrubbing, buffing, polishing and crystallisation machine. The long life, low load oil filled gearbox ensures seamless power transmission to the floor ensuring excellent results.



Simple To Use Operator Handle



2.5 H.P Motor



120 mm Wheel



C 2575

Technical Specification

Model No.	Voltage	Motor	Pad	Brush Width	Main Cord	Brush Speed	Weight	Dimensions (L x W x H)
C 2575	220 V AC 50 HZ	2.5 HP	450 mm	500 mm	12 M	175 RPM	52 Kgs	1280 x 610 x 518 mm

SINGLE DISC MACHINE

Designed specially for aggressive deep cleaning with ultrahigh speed, the Charnock single-disc scrubber **C 13** offers multipurpose usage for all types of hard floors and cleaning jobs, for scrubbing, buffing and carpet cleaning.

Maintenance-free single phase - a synchronous motor gives long life and reduces costs. Ideal for floor stripping and spray cleaning in hotels, hospitals, industrial shop floors, workshops, etc.

Unique in handle adjustment, suitable for any user. All functions are controlled from the operator handle with an in-built safety grip for easy maneuverability. The low offset motor gives the optimal performance.



Folding Adjustable Handle



1 H.P Motor



Large Solution Tank

C 13



Technical Specification

Model No.	Voltage	Motor	Main Cord	Sound Level	Brush Speed	Brush Diameter	Weight	Dimensions (L x W x H)
C 13	220-240 V AC 50 Hz	750 W	12 m	54 dB	175 RPM	13 Inches	25 Kgs	1210 x 710 x 540 mm

HIGH SPEED BURNISHING MACHINE



CHB 1500

The Burnishing machine is unique in many respects and adjusts the height to varying floor conditions. A polishing machine makes a rough, non-reflective, surface into a smooth, highly light reflective (glossy) surface. Especially suited for high-speed buffing burnishing. Moves with a pad at high rotational speeds making the process highly effective and efficient.

This machine will also be very well received in many congested applications as its functional characteristics are totally neutral allowing operation and control even in the most confined of locations.



Main Plug



Height Adjustable Wheel



Cable Secure

Technical Specification

Model No.	Voltage	Motor	Brush Width	Main Cord	Brush Speed	Weight	Dimensions (L x W x H)
CHB 1500	230 V-AC-50 Hz	1500 W	500 mm	12 m	1500 RPM	55 Kgs	1210 x 710 x 540 mm

FOAM GENERATOR

The Foam Generator **CFG 5** is a useful accessory to the floor scrubber (single disc machine). This helps in the efficient cleaning and shampooing of carpeted floors much faster than conventional methods.

The **CFG 5** machine is used for generating 98% dry foam to efficiently shampoo carpets.

CFG 5



Technical Specification

Model No.	Voltage	Power	Tank	Weight	Dimensions (L x W x H)
CFG 5	220 V 50 Hz	80 W	5 Ltrs	8 Kgs	300 x 260 x 535 mm

INDUSTRIAL WET & DRY VACUUM CLEANERS

Technologically advanced industrial wet & dry vacuum systems that have been proven and tested across the world.

Robust construction with a virtually indestructible stainless steel body and low-noise, cooled turbine motors ensure long life. The single motor version offers high suction power and durability. The vacuum motors are designed to ensure consistent performance and life even under extensive usage. The accessories are designed to offer the best cleaning results with little or no exhaustion to the operator.

The accessory kit provides tools for both wet and dry operations with stainless steel tube sets as standard.



C 15



C 30



C 260



C 360/380

- A comprehensive range of multipurpose accessories for daily wet and dry cleaning depending upon the type of application.
- **ADVANTAGES:** Durable Flexi-hose, washable and reusable filter, and a motor that can run without breaks over considerably longer periods.
- Additional accessories available on request.



1-Motor Version



2-Motor Version



3-Motor Version
for more Power



Standard Accessories
C 15



Standard Accessories
C 30 to C 380

Technical Specification

Model No	Power	No. of Motors	Voltage	H2O for Lift	Aiflow	Capacity	Weight	Dimensions (L x W x H)
C 15	1000 W	1	200 - 240 / 50Hz	1800 mm	48 Ltrs/Sec	15 Ltrs	13.5 Kgs	610 x 435 x 435 mm
C 30	1000 W	1	220 - 240 / 50Hz	2000 mm	53 Ltrs/Sec	30 Ltrs	14 Kgs	810 x 435 x 435 mm
C 260	2000 W	2	220 - 240 / 50Hz	2200 mm	106 Ltrs/Sec	60 Ltrs	26 Kgs	990 x 630 x 565 mm
C 360	3000 W	3	220 - 240 / 50Hz	2400 mm	120 Ltrs/Sec	60 Ltrs	26.5 Kgs	990 x 630 x 565 mm
C 380	3000 W	3	220 - 240 / 50Hz	2600 mm	160 Ltrs/Sec	80 Ltrs	28 Kgs	1085 x 630 x 565 mm

All Pictures shown are for Illustration purpose only. Standard Accessories may vary.

INDUSTRIAL WET & DRY VACUUM CLEANERS



Standard Accessories

The **WV 470-2** provides a larger alternative to the 370-380 series, with twice the capacity but to the same high performance standard be it wet or dry.

What is very important is for professional use we do not mix both the functions of wet and dry operations otherwise the result can be a container full of almost MUD which becomes difficult to empty and will be detrimental to performance. All machines are wet or dry and the change from one to the other is designed to be simple. Exchanging a dry filter for wet safety float valve and a change of floor nozzle or vice versa.

Although twice the capacity we have added a folding handle design allowing easy movement when in use whilst also allowing compact storage.

The accessory kit provides tools for both wet and dry operations with stainless steel tube sets as standard.

WV 470-2



Technical Specification

Model No.	Voltage	Motor	Airflow	Suction	Dry	Wet	Range	Weight	Dimensions (L x W x H)
WV 470-2	230 V AC 50/60 Hz	1200 W	40 Ltrs/Sec	2500 mm	27 Ltrs	20 Ltrs	26.8 m	9.6 Kgs	358 x 450 x 710 mm

DRY VACUUM CLEANERS

Standard Accessories



PSP 370



HVR 200

PSP 370 and **HENRY** are packed full of innovative features. Very best in energy efficiency with professional cleaning performance. TriTex Filtration System - Improves filtration. HepaFlo filter bags provides high efficiency, enhanced performance and provide for quick, convenient and clean emptying. Truly a tailored vacuum machine for Hotels, Hospitals and of course the contract cleaners segment.

PSP 370



HVR 200



Technical Specification

Model No	Voltage	Motor	Suction Lift	Airflow	Capacity	Range	Weight	Dimensions (L x W x H)
PSP 370	230 V AC 50 / 60 Hz	620 W	2300 mm	48 Ltrs/Sec	15 Ltrs	31.4 m	9 Kgs	360 x 370 x 510 mm
HVR 200	230 V AC 50 / 60 Hz	620 W	2300 mm	48 Ltrs/Sec	9 Ltrs	31.4 m	8 Kgs	340 x 360 x 370 mm

DRY VACUUM CLEANERS



Easy to Operate Panel



Standard Accessories

Engineered for superior cleaning performance, this vacuum cleaner is designed to efficiently remove dry dust, fine particles, and debris from a wide range of surfaces including floors, carpets, upholstery, and corners. Its high-efficiency motor delivers strong and consistent suction, ensuring thorough cleaning even in high-traffic areas.

The advanced filtration system traps fine dust particles, helping maintain cleaner and healthier indoor air quality. Built with a durable body and user-friendly design, the machine offers low noise operation, smooth mobility, and easy maintenance—making it ideal for continuous commercial use.

Compact yet powerful, this vacuum cleaner enhances productivity while reducing cleaning time and effort. It is a reliable solution for professional cleaning applications across multiple industries.

Key Features:

- Powerful high-efficiency motor
- Strong and consistent suction performance
- Advanced filtration for fine dust control with optional HEPA Filters
- Low noise operation
- Durable and impact-resistant construction
- Easy handling and maintenance

Suitable For:

Offices | Hotels | Hospitals | Airports | Malls | Retail Spaces | Industrial Facilities



CDS - 20



CD - 10

Technical Specification

Model No.	Voltage	Motor Power	Vacuum Suction	Airflow	Cable Length	Capacity	Weight	Dimensions (L x W x H)
CD 10	220-240 V AC 50/60 Hz	1000 W	1800 mm	48 Ltrs/Sec	7 Mtrs	10 Ltrs	7 Kgs	400 x 380 x 400 mm
CDS 20	220-240 V 50 Hz	1350 W	2200 mm	37 Ltrs/Sec	8 Mtrs	20 Ltrs	9 Kgs	540 x 450 x 330 mm

BACKPACK VACUUM CLEANER - CABLE AND BATTERY OPERATED

The tremendous advantage of Charnock cordless cleaner will be more than obvious, NO CABLE, allowing it to be used in numerous difficult situations with exceptional results, climbing ladders, stairways, congested areas, busy pedestrian zones, cleaning aircraft, busses, even cinemas.

An integrated hand control module is incorporated to allow both instant on/off operation to save maximum power whilst incorporating a battery condition module to allow you to monitor battery reserve as you work.



CBBP 5



CEBP 5



Comfortable Harness
with Accessory Dock



Standard Accessories

Backpack Vacuum Cleaner brings with it great advances in convenience cleaning, producing vastly improved results by virtue of the old adage "the right machine for the right job". Particular attention has been paid to user comfort, convenience and safety with an ergonomically designed, comfortable harness system; lighter weight and lower noise levels. A favorite in many countries this handy machine has been designed for comfortable, convenience and safety, not to mention great performance.

Technical Specification

Model No.	Voltage	Motor Power	Vacuum Lift	Charging Time	Airflow	Capacity	Run Time	Weight	Dimensions (L x W x H)
CBBP 5	36 V/ DC	500 W	1225 mm H2O	3 Hrs	18 Ltrs/Sec	5 Ltrs	1Hr	7 Kgs	305 x 260 x 600 mm
CEBP 5	220-240 V/ 50 HZ	1200 W	2245 mm H2O	-	28 Ltrs/Sec	5 Ltrs	-	6 Kgs	305 x 260 x 505 mm



Comfortable Harness

Compact, comfortable and convenient, the **RSV 150 / RSAV 130** goes wherever you go, making it the perfect cleaning solution for tight and awkward cleaning.

Providing an extra-long 15m cable and generous 5L dust capacity, there's less stopping to unplug and empty and more time to get the job done. Easily switch between carpets and hard-floors with the high-performance Combi Floor Tool and tackle hard-to-reach areas with the precision cleaning kit.

Ergonomically designed with easy-adjust, posture-correcting harness, breathable mesh panel, handy tool storage and simple, integrated hand control, the **RSV 150 / RSAV 130** provides optimum user-comfort, ensuring less stretching, bending down, twisting and full control at all times.

A tool for every job, always on hand and packs neatly away, with professional and versatile AS30E accessory kit.

The **RSAV 130**, is specially designed to run on the 400Hz power supply present in most aircrafts. It is especially practical in aircrafts as it is easy to manoeuvre and leaves no trailing, making it quicker and more efficient to clean the large area within an aircraft. A favourite in many countries this handy machine has been designed for user comfort, convenience and safety, not to mention great performance by giving faster turn around times during the cleaning of aircrafts.



Comfortable Harness



RSV 150

RSAV 130



RSAV 130 110 Volts for use in Aviation Industry

Technical Specification

Model No.	Voltage	Motor	Power Cord	Suction	Airflow	Capacity	Cleaning Range	Weight	Dimensions (L x W x H)
RSV 150	230 V 50/60 Hz	620 W	230 V 50/60 Hz	2300 mm H2O	31.2 Ltrs/Sec	5 Ltrs	36.4 m	(Machine + Kit) 7 Kgs	740 x 400 x 650 mm

Model No.	Voltage	Motor	Suction Lift	Airflow	Capacity	Cleaning Range	Weight	Dimensions (L x W x H)
RSAV 130	110 V / 400 HZ	960 W	2400 mm	42 Ltrs/Sec	6 Ltrs	43.2 m	7 Kgs	440 x 360 x 250 mm

All Pictures shown are for illustration purpose only. Standard Accessories may vary.

DRY FOAM UPHOLSTERY CLEANER



Motorised Brush Head



Easy Tank Filling and Removal



Trolley System for Transport

Charnock Dry Foam upholstery cleaner is one of its only kind. High performance machine which produces Dry foam and is ideally suited for typical application such as fabric sofa, chairs, small rugs etc.

Being a dry foam cleaner, it dries the fabric within 45 minutes and ready to use.

Features

- Compact & Portable
- Motorized Brush Head
- High Suction Vacuum

Accessories

- Motorized Brush Head
- Vacuum Suction Tool
- Round Brush
- Crevice Tool
- Sofa/Carpet Tool



CF 1612

Technical Specification

Model No.	Power	Voltage	Brush Motor	Brush Diameter	Clean Water Capacity	Dirty Water Capacity	Cable	Net Weight	Gross Weight	Dimensions (L x W x H)
CF 1612	1045 W	220 V / 50 Hz	12 V	125 mm	16 Ltrs	12 Ltrs	8 m	28 Kgs	24 Kgs	740 x 400 x 650 mm

CARPET DRIER

Carpet Drier is perfect for drying of upholstery and carpeted or hard floors. The three speed control lets you decide the correct airflow for the job! The transport handle and wheels do all the work for you, simply extend the handle and wheel it wherever you need to go.



Adjustable Handle



Transit Wheel



Large Opening for Max. Airflow



C 9

Technical Specification

Model No.	Power	Voltage	Product Description	Airflow Rate	Brush Speed	Weight	Dimensions (L x W x H)
C 9	900 W	230 V - 50 Hz	3 Speed Blower	160 - 130 - 110 M3/Min	Low - Medium - High	21.5 Kgs	540 x 460 x 580 mm

UPHOLSTERY EXTRACTION CLEANERS

CT 370-2 / CT 470-2 have different capacities. These powerful upholstery cleaners ensure excellent performance and efficient discharge and collection, with a unique 'tank within tank design'.



CT 370-2



CT 470-2



NHL 15

NHL 15 CleanTec Hi-Lo 15 has been designed from the ground up to reflect the need for quick and effective carpet care with the minimum of preparation and effort. NHL is equipped with TwinFlo® for high performance, carpet vacuum extraction system together with dual, high performance, deep clean, PowerFlo® pump injection unit, providing a choice of two performance standards which can be selected at any time to suit your specific needs.

The Hi-Lo system allows to select the Hi pressure. 4 Bar (60 psi). Tri-Jet performance for heavily soiled areas and the Lo pressure. 2 Bar (30 psi) standard for lesser soiled areas. Hi-Lo is not just for carpets, it has all the power, performance and convenience for the cleaning of fabrics and upholstery.

- Easy Flow System • High Efficiency Upholstery/Spotting Nozzle • Dump Hose Empty Option

Standard Accessories



CT 370-2



CT 470-2



NHL 15

Technical Specification

Model No.	Voltage	Motor	Airflow	Suction Lift	Dry	Wet	Ext	Range	Weight	Dimensions (L x W x H)
CT 370-2	230 V AC 50 / 60 Hz	1200 W	40 (Ltrs/Sec)	2500 mm	15 Ltrs	9 Ltrs	6 Ltrs	26.8 m	8.8 Kgs	355 x 355 x 510 mm
CT 470-2	230 V AC 50 / 60 Hz	1200 W	40 (Ltrs/Sec)	2500 mm	27 Ltrs	20 Ltrs	11 Ltrs	26.8 m	12.0 Kgs	358 x 450 x 710 mm

Model No.	Voltage	Motor	Air Flow	Motor Power	Suction Lift	Capacity	Range	Weight	Dimensions (L x W x H)
NHL 15	230 V AV 50/60 Hz	2 x Twinflo	38 Ltrs/Sec	1200 W	2400 mm	15 Ltrs	26.8 m	15.5 Kgs	435 x 425 x 725 mm

All Pictures shown are for Illustration purpose only. Standard Accessories may vary.

VACUUM STEAM GENERATOR/CLEANER

CSV 5 allows, simply and quickly and with the exclusive use of water, steam cleaning of all surfaces together with dust and liquid vacuuming. Clean and sanitize all surfaces (ceramic, stainless steel, glass, wood, linoleum, marble, carpet, armchairs and sofas) with high temperature steam, removing mites, germs, bacteria and prevent the onset of allergies. With high efficiency suction and the electronic control, it is possible to set vacuum power on the gun and to vacuum steam melted with dirt.



CSV 5

Charnock steam cleaner sanitizes and sterilizes every surface with steam power, without using detergents or disinfectants. **CSC 5** is environmental friendly. Steam regulation allows washing adjusting considering the surface to be treated: in this way every kind of surface has the right treatment. The machine is user friendly and has a wide range of accessories: **CSC 5** is a comfortable and safe daily working tool. Steam cleaning function is perfect in shops, commercial premises, offices as well as in household application and removes the toughest and hidden dirt while eliminating mites, germs and bacteria.



CSC 5

Technical Specification

Model No	Max Steam Pressure	Max Steam Temperature	Boiled Absorbed Power	Vacuum Motor Absorbed Power	Air Flow	Recovery Tank Capacity	Weight	Dimensions (L x W x H)
CSV 5	5 bar	152°C	1900 W/220/240 V ~ 50 Hz	1200 (Max 1400) W	220 m3/h	8 Ltrs	14 Kgs	530x400x500 mm
CSC 5	4 bar	143°C	2300 W/220/240 V ~ 50 Hz	-	-	3.5 Ltrs	7.5 Kgs	460x330x350 mm

CSV 5 Standard Accessories



PROVAC SERIES



Easy Removal of Waste Tank



Filter Bag



Hepa Filter



Safety Valve



Turbine Motor

Charnock **PROVAC Series 390 / 590 / 790** are designed to vacuum in dust, liquids and solids simultaneously. The machines are very sturdy and strongly built to perform to its optimum efficiency. The waste container built on Stainless steel can be wheeled out for emptying. The manual filter shaker ensures the filters to be clean at all times.



CS 390



CS 590 / CS 790

Technical Specification

Model No.	Voltage	Motor	RPM	Turbine Type	Suction Power	Air Flow (CMH)	Hose Dia Intel	Capacity
CS 390	415	3 HP	2800	RGB	250 m Bar	113 LPS	50 mm	35 Ltrs
Filter Shaker	Filtration Area	Absolute Filter Area	Hepa Filter	Type of Filter	Noise Level	Protection IP	Weight	Dimensions (L x W x H)
Manual	2.1 M2	1.2 M2	99.97%	Polyester	70 dB	54	117 Kgs	1000x600x1000 mm

Model No.	Voltage	Motor	RPM	Turbine Type	Suction Power	Air Flow (CMH)	Hose Dia Intel	Capacity
CS 590	415	5 HP	2800	RGB	300 m Bar	165 LPS	75 mm	90 Ltrs
Filter Shaker	Filtration Area	Absolute Filter Area	Hepa Filter	Type of Filter	Noise Level	Protection IP	Weight	Size (mm)
Manual	3.1 M2	1.2 M2	99.97%	Polyester	75 dB	54	135 Kgs	1250x690x1600 mm

Model No.	Voltage	Motor	RPM	Turbine Type	Suction Power	Air Flow (CMH)	Hose Dia Intel	Capacity
CS 790	415	7 HP	3400	RGB	300 m Bar	165 LPS	75 mm	100 Ltrs
Filter Shaker	Filtration Area	Absolute Filter Area	Hepa Filter	Type of Filter	Noise Level	Protection IP	Weight	Size (mm)
Manual	3.1 M2	1.2 M2	99.97%	Polyester	75 dB	54	135 Kgs	1250x690x1600 mm

UPRIGHT VACUUM CLEANER



Ergonomic Handle



Flexible Hose

BT 450 is heavy-duty and reliable upright vacuum cleaner, with a cylindrical rotating brush, designed to vacuum carpet deeply. It can be used for cleaning large or smaller areas.

The action of the rotating brush allows to remove dust, sand and solid dirt residuals from the carpet fibers.

It is very important to use an upright vacuum cleaner with rotating brush on a daily basis, to maintain carpet in better conditions and extend the life time of the carpet as well. It is also an essential operation before carpet cleaning.

BT 450



Technical Specification

Model No.	Brush Motors	Full bag Indicator	Exhaust air filtering system		Transmission Belt	Electronic Clutch control board+worn-out brush		Noise Level	Vacuum Motor Power	Waterlift
BT 450	250W 4000 rot/min	Electronic	Standard Washable filter Optional HEPA filter		POLY-V Belt	Standard		66 dB(A)	1000 W	2500 mm H2O
Airflow	Dust Bag Capacity	Voltage	Brush Height Adjustment	Cable Length	Cleaning Width	Weight (Machined Body)	Weight (Packaged Body)	Package Dimensions		Dimensions (L x W x H)
>26 l/sec	6.5 Ltrs	230V - 50/60 Hz	4 Positions	10 Mtrs	450 mm	9.3 Kgs	10.7 Kgs	800 x 300 x 310 mm		460 x 250 x 1180 mm

WIDE AREA CARPET VACUUM



Height Adjustment Handle



Control Panel



Transit Wheel



CWV 6635

CWV 6635 is Charnock's dedicated wide area carpet vacuum cleaner with contra rotating brushes.

With its height-adjustable handle, the CWV 6635 is easy to balance and push with one hand. The handle folds down for space-saving storage and easy transport. The practical integrated cable hook allows space-saving storage of the 25-metre power cord. The hook is rotatable for quick and easy removal. Large, wide-opening filter cover enables easy access to the filter system. It is also enabled with quick release system for easy changing of both roller brushes.

Technical Specification

Model No.	Voltage	Motor Power	Working Width	Refuse Container	Cable Length	Weight
CWV 6635	220 V / 50 Hz	2150 W	660 mm	35 Ltrs	25 Mtrs	65 kgs

HOURLY PERFORMANCE

 **2500 M²/H**

ESCALATOR CLEANER - WET & DRY



Ergonomic Handle



Easy Access to Dirty Water Tank




Water Spray Nozzle



Large Transit Wheels

CEWD 40



The Charnock **CEWD 40** Escalator Cleaning Machine, cleans all escalators quickly, easily and economically.

Dry Vacuum Cleaning mode picks up excess dirt. Wet low moisture deep scrubbing mode cleans escalator and moving walkways. The long brushes penetrate to the base of the escalator floor leaving your escalator dry sparkling clean.

The machine is extremely easy to transport between storage and escalators.

Technical Specification

Model No.	Voltage	Power	Power Cable Length	Cleaning Width	Brush Type	No. of Brushes	Brush Pressure	Clean Water Capacity	Dirty Water Capacity	Machine Weight	Dimensions (L x W x H)
CEWD 40	220 - 240 V	1200 W	12 Mtrs	400 mm	Roller Brush	02	25 Kgs	10 Ltrs	10 Ltrs	30 Kgs	800 x 450 x 1100 mm

ESCALATOR CLEANER - WET & DRY



Ergonomic Handle



Dual Counter Rotating Roller Brushes



Easy Access to Dirty Water Tank



Large Transit Wheels

CEWD 51



The Charnock **CEWD 51** Escalator Cleaning Machine, cleans all escalators quickly, easily and economically.

Dry Vacuum Cleaning mode picks up excess dirt. Wet low moisture deep scrubbing mode cleans escalator and moving walkways. The long brushes penetrate to the base of the escalator floor leaving your escalator dry sparkling clean.

The machine is extremely easy to transport between storage and escalators.

Technical Specification

Model No.	Voltage	Power	Power Cable Length	Cleaning Width	Brush Type	No. of Brushes	Brush Pressure	Clean Water Capacity	Dirty Water Capacity	Machine Weight	Dimensions (L x W x H)
CEWD 51	220 - 240 V	1200 W	12 Mtrs	500 mm	Roller Brush	02	35 Kgs	32 Ltrs	35 Ltrs	90 Kgs	800 x 450 x 1100 mm

HIGH-PRESSURE CLEANERS

These **High-Pressure Cleaners** are highly specialized multifunctional machines with exceptionally reliable safety assurance. These High Pressure Cleaners are suitable for cleaning and washing big warehouses, supermarkets, malls, farmhouses, golf courses, hotels, hospitals, swimming pools, cars etc.

All machines come with features such as nickel plated pistons, stainless steel boiler, safety valve and total stop.

Standard accessories include appropriate size of hoses, spray lances, nozzle and trigger guns.



CCW 130



CCW 150



CCWP 160



CHW 150



CHW 200



CWM 210



Technical Specification

Model No	Voltage	Motor Power	RPM	Pressure	Hose Length	Water Delivery Rate	Max. Water Inlet Outlet Temp.	Power Cable	Weight	Dimensions (L x W x H)
CCW 130	240 V - 50 HZ	2800 W	2800	130 Bar	8 Mtrs	510 Ltrs/h	40°C	5 Mtrs	28 Kgs	380 x 360 x 900 mm
CCW 150	230 V - 50 HZ	2800 W	2800	150 Bar	8 Mtrs	540 Ltrs/h	40°C	5 Mtrs	28 Kgs	350 x 400 mm
CCWP 160	230 V - 50 HZ	3000 W	1450	160 Bar	10 Mtrs	540 Ltrs/h	40°C	5 Mtrs	33 Kgs	760 x 410 x 750 mm
CHW 150	230 V - 50 HZ	3000 W	1450	150 Bar	10 Mtrs	540 Ltrs/h	40/140°C	5 Mtrs	113 Kgs	940 x 650 x 900 mm
CHW 200	400 V - 50 HZ	7300 W	1450	200 Bar	10 Mtrs	900 Ltrs/h	40/140°C	5 Mtrs	129 Kgs	940 x 650 x 900 mm
CWM 210	400 V - 50 HZ	7000 W	1450	210 Bar	10 Mtrs	900 Ltrs/h	40°C	5 Mtrs	58 Kgs	795 x 490 x 400 mm

IDRO FOAM & FOAMTEC

IDRO FOAM



Idro Foam Rinse 200 is an innovative machine, electrically powered, allowing to spray foam and rinse continuously. The water used for foaming and rinsing is directly taken from the water network, therefore the machine has an unlimited autonomy. Pure chemical is contained in its separate tank and is automatically used by the machine in a controlled quantity. The internal air-compressor allows to produce foam with an optimal density, adjustable by the operator. It is not necessary to connect the machine to an external compressed air system. Rinsing is performed at an optimal pressure, suitable for small and medium-size rooms.

The cleaning process is carried out through three stages:

1. Spraying of foam on all the surfaces to be, cleaned (walls, sanitary fixtures, showers and panes)
2. Foam chemical action
3. Rinsing with fresh water



Foaming



Chemical Action



Rinsing



Vacuuming

FOAMTEC 15



Foamtec 15 and the Foamtec 30 are the smallest and medium size models respectively in the range of machines working with Santoemma patented Foamtec system. These machines allow complete cleaning and sanitizing public restrooms by spraying foam, rinsing and vacuuming.

The cleaning process is carried out through four stages:

1. Spraying of foam on all the surfaces to be, cleaned (walls, sanitary fixtures, showers and panes)
2. Foam chemical action
3. Rinsing with fresh water
4. Vacuuming of residual water from floor.

Foaming Chemicals – Sani Foam, Acid Foam, Anti foam

Places where Idro foam, Foamtec15 & 30 can be used: Pubs, discotheques, motor ways, safes, factories, shopping centers, exhibition halls, cinema theatres, stadiums, arenas, nursing homes, hospitals, schools, universities, city public WC, public showers, ferries, cruise ships, fitness centers, swimming pools, saunas, spas, any other rest room open to public.

FOAMTEC 30



SPECIFICATIONS	IDRO FOAM RINSE 200	FOAMTEC 15	FOAMTEC 30
Recovery/ Clean tank capacity	-	15 Ltrs/15 Ltrs	30 Ltrs/30 Ltrs
Automatic filling system	YES	YES	YES
Tank construction	-	High density polyethylene	High density polyethylene
Vacuum motor	-	2 stages	2 stages
Power	-	1000 W	1000 W
Maximum waterlift	-	2200 mm H2O	2200 mm H2O
Maximum air-flow	-	50 l/sec.	50 l/sec.
Pump with bypass	Membrane	1 membrane pump 80 W Power	Piston type 180 W Power
Maximum pressure	9 bar	9 bar	28 bar
Maximum water-flow	4 l/min	2 l/min	4 l/min
Compressor	350W	350W	350W
Approximate performances	room with 25 m2 of tiles + 5 sanitary fixtures in 10 minutes	room with 25 m2 of tiles + 5 sanitary fixtures in 10 minutes	room with 50 m2 of tiles + 10 sanitary fixtures in 15 minutes
Water consumption	-	14 Ltrs	-30 Ltrs
Chemical consumption	250 grams	250 grams	500 grams
Chemical dilution	Pre-set around 4%	Pre-set around 4%	Pre-set around 4%
Cable length	10 m	10 m	10 m
Weight (machine body)	32 Kgs	40 Kgs	74 Kgs
Weight (packaged machine)	42 Kgs	55 Kgs	99 Kgs
Dimensions	420 x 680 x 870 mm	380 x 700 x 860 mm	380 x 800 x 1050 mm
Package dimensions	480 x 740 x 550 mm	480 x 800 x 1000 mm	600 x 950 x 1215 mm
Spray hose/Vacuum hose length	10 m	5/5 m	10/7.5 m
Foaming & Rinsing autonomy	Unlimited	-	-
Standard accessories	Hose, Foam/Rinse gun, Chemical	Hose, Foam/Rinse gun, Chemical	Hose, Foam/Rinse gun, Chemical

EVELINE

Eveline is the Santoemma patented system for deep clean and completely sanitize all small furnished spaces, including kitchens and restrooms.

This is the ideal solution for cleaning contractors and for anyone who wants to equip themselves with a professional machine, in order to maintain high levels of hygiene in their own working or private environments.

It is ideal for 100-200 square meters furnished places, with areas of different type: restrooms, working areas, offices, walkways, store-rooms, changing rooms, kitchens, café and restoration areas.

Eveline allows to perfectly clean and sanitize vertical surfaces, sanitary fixtures and hard floor.

The cleaning and sanitizing process takes place in four stages:

1. Spraying of chemical solution on vertical surfaces and sanitary fixtures
2. Chemical action against dirt and bacteria
3. Rinsing vertical surfaces and sanitary fixtures with clean water
4. Rinsing the floor with the injection-extraction system



POWERTEC 30

Powertec 30 is a machine for cleaning and sanitizing small and middle-sized restrooms, in areas open to public. It combines spraying of chemical solution, rinsing and vacuuming. With Powertec 30 restrooms can be completely cleaned, sanitized and left perfumed and dry in a short time, making the cleaning operations more pleasant and effective as well. Using the machine is immediate and does not require any training for the operator. Small and light, it can be easily stored or carried from place to place.

The cleaning process is carried out through four stages:

1. Spraying of chemical solution on all the surfaces to be cleaned
2. Chemical action
3. Rinsing with clean water (walls, sanitary fixtures)
4. Vacuuming of residual water showers and panes from floor

Places where Powertec 30 can be used:

- Restaurants, fast-foods, pubs, discotheques, motorways cafés
- Offices, factories
- Shopping centres, exhibition halls
- Cinemas, theatres, stadiums, arenas
- Nursing homes, hospitals
- City public WC, public showers, barracks
- Ferries, cruise ships, airports, railways stations
- Fitness centres, swimming pools, saunas, spas, hotels
- Portable restrooms
- Any other restroom open to public
- Schools, universities



POWERTEC 30

SPECIFICATIONS	EVELINE	POWERTEC 30
Recovery tank capacity	14 Ltrs	30 Ltrs
Clean water tank capacity	14 Ltrs	30 Ltrs
Approximate performances and consumption for deep cleaning / quick sanitization (50 sq. meters of hard-floor)	Time: 10 / 2 minutes Chemical consumption: 200 grams Water consumption: 14 / 1 Ltrs	Time: 20 minutes Chemical consumption: 500 grams Water consumption: 30 Ltrs
Vacuum motor Power Maximum waterlift Maximum air-flow	2 Stages 1000 W 2200 mm H2O 50 l/sec.	2 Stages 1000 W 2200 mm H2O 50 l/sec.
Pump with bypass Power Maximum pressure Maximum water-flow	Vibrating 2x70 W 5 Bar 2,5 l/min	Membrane with internal by-pass 80W 9 Bar 5 l/min.
Cable length	10 m	10 m
Weight (machine body)	23 Kgs	35 Kgs
Weight (packaged machine)	26 Kgs	42 Kgs
Dimensions	300 x 740 x 880 mm	380 x 600 x 780 mm
Package dimensions	360 x 600 x 800 mm	540 x 900 x 115 mm
Units/pallet	8pcs/pallet (80 x 120 x 173h)	-
Spray hose/Vacuum hose length	3/3 m	5/5 m
Standard colors	Blue	Blue
Tank construction	High density polyethylene	-
Noise pressure level - ISO3744 (1m)	72 dB(A)	-
Standard tools supplied with the machine	Spray hose, vacuum hose, spray/rinse gun, Wand for hard-floor vacuuming and injection-extraction cleaning	Spray hose, spray/rinse gun, vacuum hose, pane wiper and fleece with extension, wet vacuum tool

CHARIS - ONE / ELITE - SILENT

Charis-ONE is a self-contained machine, for cleaning middle sized carpeted areas. With Charis-ONE it is possible to clean a 40cm strip of carpet perfectly, removing the dirt from the base of carpet fibres. The water-flow can be adjusted, for a maintenance low-moisture cleaning or a restoration deep cleaning. The Santoemma high waterlift vacuum system allows excellent removal of the dirt and a very short drying time: the carpet can be dry in one hour! With only a 60 decibel sound level, it is possible to work without disturbing other people.

Elite-Silent is a self-contained extractor for carpet and hard floor with manual traction. It washes, brushes and dries a stripe of 50 cm of carpet, moving forward, cleaning up to 500 sq. meters in one hour. Its 3 stage high-waterlift vacuum system allows to recover the maximum quantity of dirt from carpet and to get a shortest drying time.

Elite-Silent is a very silent machine, since it works with 60 Decibels only. It is possible to adjust the brush and vacuum head pressure, according to the type of carpet. The water flow can be regulated, for a maintenance low-moisture cleaning or a restoration deep cleaning.

ELITE - SILENT



CHARIS - ONE



Main application fields : Cleaning companies, hotels, conference halls, restaurants, clubs, pubs, offices, banks, shops, cinemas, theatres, ferry boats, ships, airports, fitness centres, school, universities, shopping centres, places of worship and all places with large or middle-sized surfaces of carpet.

SPECIFICATIONS	ELITE - SILENT	CHARIS - ONE
Recovery & Solution tank capacity	50+50 Ltrs	35+35 Ltrs
Vacuum motor	Three stages - High Waterlift	Three stages - High Waterlift
Power	1500 W	1500 W
Maximum waterlift	3400 mm H2O	3400 mm H2O
Maximum air-flow	4-5 l/sec.	4-5 l/sec.
Pump with by-pass	Membrane	Membrane
Power	80 W	80 W
Maximum pressure	9 bar	9 bar
Maximum water-flow	4-5 l/min	4-5 l/min
Cleaning width (carpet/floor)	500 / 720 mm	400 mm
Number of nozzles	5	5 + 1
Brush	100 W 600 rot/min 464 mm	2 x 120 W 600 rot/min 364 mm
Max performance (carpet/floor)	500 / 1500 sq. m/h	250 sq. m/h
Cable length	15 m	15 m
Hose length	(optional)	(optional)
Weight (machine body)	55 Kgs	55 Kgs
Weight (packaged machine)	60 Kgs	65 Kgs
Dimensions	500 x 860 x 950 mm	420 x 1040 x 960 mm
Package dimensions	420 x 1040 x 960 mm	500 x 1100 x 1140 mm
Standard colors	Blue	Blue
Tank construction	High density polyethylene	High density polyethylene
Suitable to work with heater	YES	YES

MECHANICAL SWEEPER



Brush Pressure Adjustment Knob



Rear Wheel

Ten times faster than manual sweeping, the Charnock walk behind mechanical sweeper **C 20** sweeps more thoroughly than a broom, saving time and labour. Picks up dust, granules, paper, leaves even small screws: nails and bolts, just about anything keeping your surroundings neat and litter-free with minimal cost and effort.

Use it indoors on floors outdoors on paths, roads, parking lots, petrol stations, anywhere. The brush pressure adjustment knob enables the optimum adaptation of the brushes to all floor conditions and types of dirt. The newly designed split-half brooms ensures easy replacement and cleaning of the brush and bristles.



C 20

Technical Specification

HOURLY PERFORMANCE

Model No.	Cleaning Width	Hopper Capacity	Packed Weight	Weight	Dimensions (L x W x H)
C 20	650 mm	40 Ltrs	33 Kgs	26 Kgs	1000 x 785 x 1020 mm

	2600 M ² /H		300 M ² /H
---	------------------------	---	-----------------------

ALFA EASY, STRONG AND AFFORDABLE



Side Brush



Filter

Smart Traction or "Intelligent Traction" Two brushes that, whilst cleaning the floor, move the machine forwards. It is easy to use. With its intuitive controls, **Alfa** can be used without any particular instructions, and also withstands neglect and lack of maintenance. It is light to drive. The operator's hands are never worn out due to uncomfortable positions as Alfa has smart Traction. It is very good value as it is highly industrialised, low maintenance, and has a very strong structure and quality components.



ALFA

Technical Specification

HOURLY PERFORMANCE

Model No.	Maximum Cleaning Width	Hopper Capacity	Hopper Unloading	Filtering Surface	Batteries	Traction	Dust Filter Shaker	Weight	Dimensions (L x W x H)
ALFA E	700 mm	43 Ltrs	Manual	2,25 m ² /h	1-12-85 (5h).-V-A	Small Traction	Manual	56 Kgs	1290 x 630 x 970 mm

	2800 M ² /H		300 M ² /H
---	------------------------	---	-----------------------

BATTERY OPERATED RIDE-ON SWEEPER



Simple to Use Operator Steering



Warning Alarm



2 Side Brushes as Standard



Strong Anti-Slip Wheels



Unique Manual Hopper

The **CRS 7012** is a compact ride-on sweeper suitable for sweeping medium sized areas. The vast majority of ride-on professional sweeping jobs demand a machine that is compact manoeuvrable and reliable.

CRS 7012 represents simplicity and robustness in its sophisticated form. Recommended for factory warehouses, car parks and outside areas such as park and gardens.

Features:

- Up to 5 hours non-stop working hours.
- Theoretical productivity rate of 7800 m² per hour.
- Climbing rate up to 16%.
- 4 m² Heavy duty Micro-fine polyester filter (PTFE) with electric filter shaker.
- A large flap and 70 Ltrs of hopper to easily collect dirt and large debris.
- Strong polyethylene construction plus steel frame; with robust solutions to avoid sources of malfunctions and minimise service.

CRS 7012



Technical Specification

HOURLY PERFORMANCE

	7800 M ² /H		300 M ² /H
---	------------------------	---	-----------------------

Model No.	Power Supply	Sweeping Paths	Main Brush Length	Maximum Speed	Filtering Surface	Max climbing Capacity	Hopper Capacity	Dumping System	Weight without Batteries	Dimensions (L x W x H)
CRS 7012	24 V DC	1200 mm	700 mm	6.5 Km/h	4 m ² /h	16%	70 Ltrs	Manual	328 Kgs	1512 X 1200 X 1300 mm

BATTERY OPERATED RIDE-ON SWEEPER



Simple to use Operator Steering



Warning Alarm



2 Side Brushes as Standard



Strong Anti-Slip Wheels

The **CRS 9012** is a compact ride-on sweeper suitable for sweeping medium sized areas. The vast majority of ride-on professional sweeping jobs demand a machine that is compact manoeuvrable and reliable.

CRS 9012 represents simplicity and robustness in its sophisticated form. Recommended for factory warehouses, car parks and outside areas such as park and gardens.

Features:

- Up to 5 hours non-stop working hours.
- Theoretical productivity rate of 7800 m² per hour.
- Climbing rate up to 20%.
- 4 m² Heavy duty Micro-fine polyester filter with electric filter shaker.
- A large flap and 90 Ltrs of hopper to easily collect dirt and large debris.
- State of the art water sprinkler system on Side brushes to ensure best in class cleaning results.

CRS 9012



Technical Specification

HOURLY PERFORMANCE



Model No.	Sweeping Width	Climbing Ability	Side Brush Diameter	Main Brush Diameter	Turning Radius	Hopper Capacity	Water Tank Capacity	Drive Motor Power
CRS 9012	1200 mm	20%	240 mm	500 mm	800 mm	90 Ltrs	30 Ltrs	800 W
Main Brush Power	Side Brush Power	Vacuum Motor Power	Dust Vibration Power	Working Speed	Filter Area	Battery	Net Weight	Dimensions (L x W x H)
1200 W	2 x 90 W	500 W	50 W	5 Km/h	4 m ² /h	4 x 12 V 80Ah	320 kgs	1108 x 810 x 1320 mm

BATTERY OPERATED RIDE-ON SWEEPER



Simple to use Operator Handle



2 Side Brushes as Standard



Strong Anti Slip Wheels



Roof Type Driver Cabin

The **CRS 1814**, is a high performance, low maintenance cost machine with remarkable sweeping effect. The vacuum cleaning system with a long filter element assists in picking up the dust efficiently. The machine has a master switch to control forward and backward movements. A small turning radius makes the equipment flexible and easy to operate. Wheeled hopper makes it convenient to empty the hopper. State of the art water sprinkler system on Side brushes to ensure best in class cleaning results.



CRS 1814

Technical Specification

HOURLY PERFORMANCE

	8400 M ² /H		300 M ² /H
---	------------------------	---	-----------------------

Model No.	Sweeping Width	Hill Climbing Ability	Side Brush Diameter	Main Brush Diameter	Turning Radius	Hopper Capacity	Water Tank Capacity	Drive Motor Power	
CRS 1814	1400 mm	20%	350 mm	690 mm	1100 mm	180 Ltrs	30 Ltrs	1200 W	
Main Brush Power	Side Brush Power	Vacuum Motor Power	Dust Vibration Power	Max Operation Speed	Filter Area	Top Cover	Anticollision Beam	Net Weight	Dimensions (L x W x H)
1200 W	2 × 100 W	600 W	50 W	6 Km/h	7 m²/h	Yes	Yes	550 Kgs (without battery)	1800 x 1400 x 1900 mm

DIESEL OPERATED RIDE-ON SWEEPER



Right View



Multi Uplifting



Dumping



Left View

CRS 1545 was designed and built for the most demanding Sweeping jobs. This machine is durable and this version can be approved for road circulation and is ideal for external area cleaning.

Its simplicity to use and maintain, reliability and low running costs make **CRS 1545** particularly suitable for sweeping applications.



CRS 1545

Technical Specification

HOURLY PERFORMANCE

	18400 M ² /H		300 M ² /H
---	-------------------------	---	-----------------------

Model No.	Main Broom	Side Broom	Sweeping Width	Speed	Hopper Emptying Height Up to	Engine Power Output	Driver Cabin	Operating System	Hopper Dust Load Capacity	Machine Weight	Machine Dimension (L x W x H)
CRS 1545	1219 mm	558 mm	1523 mm	1 to 15 Km/h	1560 mm	28.8 kw @3000 RPM	Roof Type	Hydraulic	450 Kgs	1660 Kgs	2560 x 1630 x 2010 mm

RIDE ON SCOOTY MOP



Control Panel



Seat Belt for Safety



High Quality Cotton Mop

The all new Charnock Ride on Auto Mop - **CAM 110** is an repetitive daily task mopper for all cleaning professionals worldwide. The ride on Scooty Mop is more ideal for cleaning of large floor areas, especially hospitals, hotels, office buildings, service centres, industrial canteens, offices, malls, airports and railway platforms.

CAM 110 can cover up to 13 Km / hr providing excellent cleaning results as it comes equipped with high quality cotton mops. It reduces the consumption of water & chemicals and increases personal hygiene of operator by eliminating dirtying of hands.

Features:

- Extractable battery compartment complete with connecting cables.
- Accelerator controlled quick start.
- Battery charge level indicator.
- ON/OFF key switch.
- Safety device man-assisted only forward gear.
- Selection of forward or reverse gears.
- Caddy that helps to carry variety of cleaning items.
- Horn, front headlight, safety belt and mirrors for added safety.



CAM 110

Technical Specification

Model No.	Power System	Power Supply	No. of Passenger	Front and Rear Wheelbase	Minimum Ground Clearance	Rear Wheel Center Distance	Travel Speed
CAM 110	500 W	48V DC	1	870 mm	50 mm	520 mm	13 Km/h
Max Reverse Speed	Minimum Radius	Climbing Ability	Charging Time	Maximum Load	Battery Weight	Net Weight	Dimensions (L x W x H)
4.5 Km/h	1500 mm	15%	6 - 8 Hours	100 Kgs	24 Kgs	75 Kgs	1750 x 900 x 1080 mm

GUEST ROOM SERVICE TROLLEY



Folding Laundry Bags



Corner Buffers



100 mm Soft-ride Castors



Optional - Set of Lid Covers and Extra Trays

Compact, considered and capable the **NKT 2LL** will always be a welcome addition where space is at a real premium.

Every single feature within the **NKT 2LL** is focused on efficiency and capacity. Unit is equipped with the space-saving Flexi-Front system, folding laundry bags, corner buffers and heavy-duty 360° castors, rising to the challenge of tight corridors and elevators. The NKT Low Level (LL) offers a solution when greater visibility during transit is needed.

Features

- Compact Design - Easy to store and manoeuvre when space is at a premium.
- Structofoam Construction - The heavy duty Structofoam base is strong and resistant to scratches and dents.
- Non-marking Rotating Buffers - Protects walls and doors from bumps and scrapes.
- Flexi-front Storage Cover - Easy and compact access for when space is at a premium.
- Twin 100-Litre Linen Bags - Large capacity dirty linen storage.
- Storage Shelves - Perfect for storing large amounts of linen and supplies.

NKT 2LL



Technical Specification

Model No.	Bags	Castors	Dimensions (L x W x H)
NKT 2LL	2 x 100 Ltrs	4 x 100 mm	1780 x 580 x 1020 mm

GUEST ROOM SERVICE TROLLEY



Graphite Hood Set



Foldable Laundry Bag



Hard Front Lockable



Corner Buffers



200 mm Soft-Ride Castors

The NuKeeper service trolley is the result of 20 years experience and is designed to provide a versatile concept. The standard model with its numerous features can be adapted to suit specific needs.

Although all hotels are different, big or small, one thing is constant and that is the need to provide an excellent environment for their valued customers.

Features

- Hard Front Lockable Doors - Bi-fold doors for access in narrow corridors.
- Large Heavy Duty Soft-ride Castors - Ease of movement, even when fully loaded.
- Structofoam Construction - Lightweight, yet heavy-duty design.
- Corner Buffers - Protects walls and doors from bumps and scrapes.
- Limitless Storage Configurations - With 12 top kits to choose from.
- 2 x 100 Litre Linen Bags - Large capacity dirty linen storage.

NKU 32HF



Technical Specification

Model No.	Bags	Graphite Hood	Castors	Dimensions (L x W x H)
NKU 32 HF	2 x 100 Ltrs	1 Set - Optional	4 x 200 mm	1940 x 660 x 1200 mm

SERVO CLEAN TROLLEY



Kit SRK 16



10 Ltrs Pails in Tray



Universal Dual Waste Systems as Standard

The **EM 3** remains very compact yet has the added important feature of very useful additional storage space for all those extra cleaning materials so often required.

The standard specification comprises, two 10 Ltrs pails, 120 Ltrs Waste Capacity - Fully lidded providing excellent capacity for normal waste collection and disposal.

The heavy duty Structofoam base is strong and resistant to scratches and dents, making it tough, chemical-resistant, easy to clean and built to last.

The **EM 3** incorporates our all mops press, which can be used with both Kentucky or Flat mops, together with generous twin 17 Ltrs colour coded pails. It offers greater onboard storage for the cleaning essentials. The **EM3** Cleaning Trolley is easy to assemble, convenient to store and ready to equip for a wide range of applications.

Recommended for Office Cleaning, Healthcare Cleaning, School and Education Cleaning and General Janitorial Cleaning.

EM 3



Technical Specification

Model No.	Pails	Castors	Waste Bags	Storage	Clean Water Capacity	Dirty Water Capacity	Dimensions (L x W x H)
EM 3	2 x 10 Ltrs	4 x 100 mm	120 Ltrs	Open Divided Shelf	17 Ltrs	17 Ltrs	1160 x 545 x 1000 mm

JANITOR TROLLEY



Vertical Wringer Press



Storage Slot



Castors with Brakes

A thorough cleaning program can require a lot of supplies, and the best way to transport those supplies to wherever they are needed is with the help of the Charnock Janitor Trolley. The **CJT 4125** presents two compact trolley options, both with waste facilities, additional pails and onboard mopping systems.



CJT 4125

Technical Specification

Model No.	Pails	Castors	Waste Bags	Clean Water Capacity	Clean Water Capacity	Dirty Water Capacity	Dimensions (L x W x H)
CJT 4125	4 x 6 Ltrs	4 x 100 mm Castors with Brakes	100 Ltrs	3 Drawers with Magnetic Door	25 Ltrs	25 Ltrs	1380 x 600 x 1120 mm

COMPACT JANITOR TROLLEY



Vertical Wringer Press



25 Ltrs Mop Buckets



Castors with Brakes

A thorough cleaning program can require a lot of supplies, and the best way to transport those supplies to wherever they are needed is with the help of the Charnock Janitor Trolley- Mini. **CJT 3125** presents two compact trolley options, both with waste facilities, additional pails and onboard mopping systems.

The **CJT 3125** offers greater onboard storage for the cleaning essentials providing the right mop for the right cleaning task.

CJT 3125



Technical Specification

Model No.	Pails	Castors	Waste Bags	Clean Water Capacity	Dirty Water Capacity	Dimensions (L x W x H)
CJT 3125	2 x 6 Ltrs	4 x 100 mm Castors with Brakes	100 Ltrs	25 Ltrs	25 Ltrs	730 x 650 x 1140 mm

GUEST ROOM SERVICE TROLLEY



100 & 50 Ltrs of Bag



Smart Storage Space



Castors with Brakes

The Charnock Housekeeping Trolley is designed to provide a versatile concept, facilitating the janitor to do multiple tasks simultaneously without wasting time searching for supplies.

The **CHK 150** model with its numerous features can be adapted to suit specific needs. Although all hotels are different, big or small; one thing is constant and that is the need to provide an excellent environment for their valued customers.

CHK 150



Technical Specification

Model No.	Bags	Trays	Castors	Dimensions (L x W x H)
CHK 150	1 x 100 Ltrs & 1 x 50 Ltrs	1 Set of Trays - Optional	8 x 100 mm Castors with Brakes	1880 x 600 x 1250 mm

GUEST ROOM SERVICE TROLLEY



Supplies Tray



Non Marking Castors

The Charnock Housekeeping Trolley – **CHK 100** is designed to provide a versatile concept, facilitating the janitor to do multiple tasks simultaneously without wasting time searching for supplies. The CHK 100 model with its numerous features is best suited for hotels where space is a challenge and can be adapted to suit specific needs.

Features:

- **Compact Design:** Easy to store and manoeuvre when space is at a premium.
- **100 Ltr Bag:** Large Capacity storage for garbage / dirty linen.
- **Storage Shelves:** Perfectly spaced out for storing linen and supplies for your daily housekeeping operations.
- **Heavy Duty Castors:** Ease of movement even when fully loaded.

CHK 100



Technical Specification

Model No.	Castors	Bags	Dimensions (L x W x H)
CHK 100	4 x 100 mm Castors	1 x 100 Ltrs	950 x 500 x 1080 mm

LAUNDRY TROLLEY



Washable 300 Kgs Capacity



Sturdy Weight Bearing Frame



Castors with Brakes

The Charnock Laundry trolley is used to transfer soiled linen to your laundries with ease.

The trolley carries load upto 300 Kgs and comes with a sturdy frame and non marking castor's with brakes that makes it easy to manoeuvre the linen load.

CLT 300



Technical Specification

Model No.	Bags	Castors	Dimensions (L x W x H)
CLT 300	1 Bag = 300 Kgs Capacity	4 x 100 mm Castors with Brakes	850 x 510 x 950 mm

CONVENIENCE TROLLEY



Weight Bearing Frame



Smartly Spaced Drawers



Castors with Brakes

Designed to offer maximum storage space with optimum manoeuvrability, Charnock Convenience trolley makes your team's work easier. The **CCT 310** is pre equipped with easily detachable drawers making it absolutely ready to use for service.

CCT 310



Technical Specification

Model No.	Drawers	Trays	Castors	Dimensions (L x W x H)
CCT 310	3	1 Tray - Optional	4 x 100 mm Castors with Brakes	460 x 510 x 920 mm

PRO - SERVICE TROLLEYS



C 184



NB 3002



C 183



C 76A



C 77



C 75



C 181B



C 74

Technical Specification

Model No.	Description	Dimensions (L x W x H)
C 184	X Type Soiled Linen Trolley	680 x 590 x 1050 mm
NB 3002	Laundry Trolley	1090 x 580 x 1055 mm
C 183	Rectangular Laundry Trolley	920 x 560 x 870 mm
C 76A	Guest Room Service Trolley	1480 x 550 x 1300 mm

Technical Specification

Model No.	Description	Dimensions (L x W x H)
C 77	X Type Garbage/Linen Collector Trolley	710 x 660 x 950 mm
C 75	Dining Trolley	1030 x 510 x 960 mm
C 181B	Pro Dining Collection Trolley	426 x 775 x 890 mm
C 74	Pro Multi Function Trolley	1140 x 510 x 970 mm

MOP WRINGERS

CD 25



MMT 1715



HB 1812 G



MMT 1616 G



CD 030



C 125



C 118A



C 325



SWING TOP/CAROUSEL

NC 1



NC 2



NC 3



Technical Specification

Model No.	Description	Clean Water Capacity	Dirty Water Capacity	Dimensions (L x W x H)
CD 25	Double Bucket Mop Wringer Trolley	25 Ltrs	25 Ltrs	620 x 710 x 950 mm
MMT 1715	Compact Twin Mopping Trolley	17 Ltrs	15 Ltrs	480 x 940 x 1130 mm
HB 1812 G	Single Bucket Wringer with Partition	18 Ltrs	12 Ltrs	475 x 340 x 320 mm
MMT 1616 G	Double Bucket Mop Wringer Trolley	16 Ltrs	16 Ltrs	680 x 510 x 1020 mm
CD 030	Double Bucket Mop Wringer	30 Ltrs	30 Ltrs	880 x 440 x 620 mm
C 125	Single Bucket Wringer	25 Ltrs	25 Ltrs	430 x 240 x 270 mm
C 118A	Single Bucket Wringer with Partition	10 Ltrs	10 Ltrs	400 x 270 x 340 mm
C 325	Triple Bucket Mop Wringer Trolley	25 Ltrs	25 Ltrs	1120 x 370 x 950 mm

Technical Specification

Model No.	Description	Capacity	Dimensions (L x W x H)
NC 1	Carousel	70 Ltrs	545 x 500 x 920 mm
NC 2	Carousel	2 x 70 Ltrs	540 x 480 x 870 mm
NC 3	Carousel	70 Ltrs	540 x 480 x 870 mm

MICRO FIBER MOP SERIES

Without doubt one of the most useful floor care mopping accessories for professional use.

The standard cleaning head is manufactured from a fabric specially developed and woven to provide excellent dirt retention characteristics and is able to be washed quickly yet effectively, even by hand but and also machine washable.

The mop head is easily removed and replaced due to the simple elasticated pocket system-no special fixing.

Simple Practical and Professional ... Never Better

The spray mop has a full 40 cm (16") Microfiber mop head with its own integrated 400 ml container that is operated by foot or hand in order to apply small amounts of water or cleaning solution to the floor as required in order to maintain the dampness of the mop.

CCM 40 and CCWM 40 is an collapsible mop that has a full 40 cm (16") Microfiber mop head.




SPRAY MOP
HM 40

Inserts colour code
options available for
CCWM 40



Technical Specification

Model No.	Bottle	Pad	Dimensions (L x W x H)
HM 40	400 ml	400 mm	1400 mm
CCWM 40	-	400 mm	1400 mm
CCM 40	-	400 mm	1400 mm



CCWM 40



CCM 40

MICRO FIBER DRY MOP SERIES




CDM 40



CDM 60




CDM 80



CDM 100

This ultra light Microfiber Looped Mop has excellent retention qualities. It has a combination of various fibers to provide high performance, leaving the floors totally dust free and hygienically clean. These mops can be used on all kinds of floors very effectively.



Technical Specification

Model No.	Pad
CDM 40	400 mm
CDM 60	600 mm
CDM 80	800 mm
CDM 100	1000 mm

POLYESTER GREY MOP SERIES


Charnock offers variety of high quality acrylic mops designed specifically for high foot fall applications.

The product line includes aesthetically designed grey colour mops which consists of large, medium and small sizes.

Polyester / acrylic mops assure low contamination levels, high and excellent abrasion resistance and chemical tolerance.

Charnock mops can be sterilized for cleaning and disinfecting septic areas.

Model No.	Pad
CDP 60	600 mm
CDP 80	800 mm
CDP 100	1000 mm



MICRO FIBER CLOTHS

This great new invention is perfect for cleaning almost everything. Home, Car, Office, Janitorial, Boat etc. Removes wax without scratching. Absorbs water like a leather chamois, Picks up dust like a magnet.

The Double sided Micro-fiber cloth is over 100 times thinner than a human hair yet incredibly durable. The Micro fibers are so small that they clean away grime other fibers simply can't detect.

A single streak free micro fiber cloth has millions of tiny 'scoops' that pull dirt, dust, oil and grease.

The results are clean, streak free shining surfaces. Close to 94% bacteria eliminated, thus more hygienic. Eliminates bad odour. Using water helps to emulsify dirt and oil making it easier for the micro fiber cloth to pick it up.


Made with the finest blend of polyester & polyamide.

Colours available in

BLUE, RED, GREEN, YELLOW, PINK & WHITE

Technical Specification

Model No.	Dimensions (L x W x H)
MFC - STD	400 x 400 mm
MFC - GLASS	400 x 400 mm
MFC - FINE	400 x 400 mm
MKT	520 x 520 mm
MDC	500 x 500 mm



MKT / MDC

HAND CARE FOR FLOORS



C 34/34A



CP 29-30



HBD



MFPM



MFKP / CH 15



MFKM



CB 45-55



C 13



CMP4 / CMP6

Technical Specification

Model No.	Description	Dimensions (L x W x H)
C 34/34A	Wind Proof Garbage Shovel	324 x 286 x 127 mm
CP 28	Floor Squeegee Plastic	450 mm
CP 29	Floor Squeegee Plastic	550 mm
CP 30	Floor Squeegee Plastic	750 mm
HBD	Acrylic Hand Duster	400 mm
MFPM	Microfiber Pinza Mop	160 gms

Technical Specification

Model No.	Description	Dimensions (L x W x H)
MFKP	Kentucky Mop Head	520 Gms (Premium)
CH 15	Normal Mop Head	300 Gms
MFKM	Microfiber Kentucky Mop	200 Gms
CB 45/55	Floor Scrubbing Brush	450/550 mm
C 13	Normal Mop Set	180 mm
CMP4	Mop Holders	580 mm
CMP6	Mop Holders	700 mm

GLASS CARE



C 39

C 39 Glass Cleaning Kit - Specification

Model No.	Description	Dimensions (L x W x H)
C 47	Stainless Steel Glass Squeeze	250 mm
C 48	Stainless Steel Glass Squeeze	350 mm
C 49	Stainless Steel Glass Squeeze	400 mm
C 50	Stainless Steel Glass Squeeze	450 mm
C 40	Floor Scraper	
C 40 A	Blade for Floor Scraper (Set of 5pcs)	
C 41	Stainless Steel Glass Scraper	
C 41 A	Blade for C 41 (Set of 5pcs)	
C 53	Glass Washer Set	350 mm
C 64	Telescopic Poles	2.3 meters
C 51	Corner angle for Telescopic Pole Rubber Stripe	1050 mm



C 47-50 C 51



CSW 35



C 53-55



C 41



C 40



C 138 C 139



C 72



C 174



C 66-70

Technical Specification

Model No.	Description	Dimensions (L x W x H)
C 39	Glass Cleaning Kit	1250 x 250 x 66 mm
C 47-50	Stainless Steel Glass Squeeze	250/350/400/450 mm
C 51	Rubber Strip	1050 mm
CSW 35	Combi Squeeze Cum Washer	350 mm
C 53-55	Glass Washer	350/400/450 mm
C 41	S.S. Glass Scraper	140 mm
C 40	Floor Scraper	290 mm

Technical Specification

Model No.	Description	Dimensions (L x W x H)
C 138	Dust Brush	380 mm
C 139	Fan Blade Brush	310 mm
C 72	Pole Clamp	180 mm
C 174	Plastic Glass Scraper	140 mm
C 66	Telescopic Poles	4 Mtrs
C 68	Telescopic Poles	6 Mtrs
C 70	Telescopic Poles	9 Mtrs

CAUTION SIGNS



EASY CADDIES



Technical Specification


Model No.	Description	Dimensions (Cone) (L x W x H)	Dimensions (Flap) (L x W x H)
Cone / Flap	No Entry	345 x 320 x 900 mm	330 x 320 x 640 mm
Cone / Flap	Cleaning in Progress	345 x 320 x 900 mm	330 x 320 x 640 mm
Cone / Flap	No Parking	345 x 320 x 900 mm	330 x 320 x 640 mm
Cone / Flap	Caution Wet Floor	345 x 320 x 900 mm	330 x 320 x 640 mm
Cone / Flap	Repair in Progress	345 x 320 x 900 mm	330 x 320 x 640 mm
Cone / Flap	Out of Service	345 x 320 x 900 mm	330 x 320 x 640 mm

Technical Specification

Model No.	Capacity	Description	Dimensions (L x W x H)
C6	15 lts	Twin Bucket Squeezer	430 x 240 x 270 mm
C 112	22 lts	Two Level Barrel	368 x 457 x 254 mm
C 113	22 lts	Professional Bucket	514 x 267 x 330 mm
C 91	12	Umbrella Stands	530 x 310 x 850 mm
C 92	18	Umbrella Stands	530 x 460 x 850 mm
C 73/G/R/B		Handy Caddie Basket	400 x 290 x 170 mm

NOTES





FLOOR CARE



CLEAN CARE



WASHROOM CARE



CARPET CARE



CHEM CARE



BIO CARE



SWEEP CARE



SERVO CARE

CHANNEL PARTNER

EXCELLENCE IN TOTAL CLEANING



CHARNOCK EQUIPMENTS PVT. LTD.

'Charnock House', No. 23, 8th Cross, Asheervad Colony,
Horamavu, Bangalore - 560 043, India.

Tel +91 -80-4165 1213/14 | Fax +91 - 80 - 4165 1216

Email: sales@charnock.biz | www.charnock.biz

Follow Us: [f](#) | [ig](#) | [in](#) | [yt](#)

To know more about our total cleaning programs and for a product demonstration, please do get in touch.